Аррі	roved For Release 2008/03/03 : CIA-l	RDP83-00415R008900030004-5
1949 51.61	CLASSIFICATION CONFIDENTIAL  CENTRAL INTELLIGENCE AG  INFORMATION REI	25X1 ENCY PORT
COUNTRY Germany (Ru	assian Zone)	DATE DISTR. 5 Sept. 1951
he's	ny Sachsen - Anhalt	NO. OF PAGES
PLACE ACQUIRED	25X1	NO. OF ENCLS. (LISTED BELOW)
DATE OF INFO ACQUIRED	25X1 25X1	SUPPLEMENT TO REPORT NO. 25X1
TO AN	HING OF THE ESPIONAGE ACT 50	IS IS UNEVALUATED INFORMATION  * Documentary
	25X1	
The attach	ed material is forwarded to you	a for retention.
	eri Tilliani Tilliani	
-		The state of the s
	25X1	The Market of the Control of the Con
·	<u> </u>	
		•

		CLASSIFICAT	ION _	CONFIDENTIAL	 	
STATE	NAVY	NSRB		DISTRIBUTION		
ARMY	AIR	ORR	X		l	

#### CONFIDENTIAL

	25X1	
German Democratic Republic		
REPORT ON SACHSEN-ANHALT FOOD INDUSTRY (157 pp:		25X1

This document is a photostatic copy of a comprehensive report on the food industry of Land Sachsen-Anhalt. Dated July 1949, the report covers the period from 1945 and was prepared by the Ministry for Trade and Supply, Main Division for the Food Industry and Fisheries, Halle (Saale). All information is given in both German and Russian.

A foreword, dated 1 September 1949, and signed by the permanent secretary of the Ministry, refers to the bountifulness of Sachsen-Anhalt, its coal deposits; fertile fields, and countless factories, its excellent transportation facilities and favourable location in the heart of Germany. It further states that over one-half of the food and beverage enterprises of the GDR are located in Sachsen-Anhalt, and that this branch of industry represents over one-third of the entire industrial potential of that Land.

The report covers seven divisions of the food industry, as follows;

- (1) Sugar and Confectionery Industry (sugar refinery products, chocolate, candy, biscuits, flavorings and extracts, etc.)
- (2) Milk, Fat, and Meat Industry (dairy products, margarine, seed oils, etc.) Fruit and Vegetable Processing Industry (canned fruits and vegetables, preserves, vinegar, table mustard, fruit juices, etc.) Grain Processing Industry

(flour, oatmeal, groats, edible pastes, ersatz coffee, malt, etc.) (5) Beverage Industry

(beer, non-alcoholic beverages, wine, liquor, etc.)

(6) Potato and Molasses Processing Industry (potato starch, pudding powders, dextrin, glucose, dextrinized potato flour, crude spirits from potatoes and cellulose, yeasts, etc.)

Tobacco Industry

(smoking tobacco, cigars, cigarettes, snuff, chewing tobacco)

In what appears to be a conscientiously prepared survey of the food industry, considerable data -- statistical (figures for both quantity and value), graphic, and photographic -- are provided for each of the seven industrial sub-divisions. The report utilizes photographs of factories, machines in operation, various steps in manufacturing processes, and sanitary installations and rest rooms for workers. Maps show the location of factories in Sachsen-Anhalt. Detailed diagrams picture entire manufacturing processes as well as individual operations of certain units. Statistical tables on production, raw material and btransportation requirements, manpower, and 1949 figures under the Two-Year Plan help complement the report.

25X1		

CONFIDENTIAL

Return to CIA Library

C	ONFLUMNTI ~ L
25X1	
25X1	

Report on the Food Industry
in Land Sachsen-Anhalt
since 1 9 4 5

Section I: The Sugar and Confectionary Industry

# CONFIDENTIAL

25X1		

ECOHOMIC SITUATION: Sugar Industry. Fourth Quarter, 1948

25X1	
------	--

	Unrefined Sugar Factories	White Sugar Factories	Refineries
Industrial plants	35	12	3
Number of verkers	12,516	7,311	2,302
Preduction in tone in 1,000 DM	26,928 1,184	13,436 591	unante de
Capacity in tens in 1,000 DK	26,000 1,144	13,400 589	
Percentage willisation of capacity	103	100	

P. 4

25X1

# TRANSPORT OF SUGAR BEETS (in percentage)

By Vator	By Cart	By Truck	By Rail
3.5	35.4	15.3	45.8
3.2	48.6	20.4	27.8
2.9	42.1	22.	33,2
2.4	36	20.5	41.1
3.26	33.43	23.04	40.27
	3.5 3.2 2.9 2.4	3.5 35.4 3.8 48.6 2.2 41.1 2.4 36	3.5 35.4 15.3 3.8 48.6 90.4 EXE 2.9 41.1 92.8 2.4 36 20.5

	SUGAR BEET PE	OCESSING (in tons)	matter (de
	Into Sugar	Into Sugar Beet - Good	on pulp
1988	3,483,333	646,467	
1945	2,675, 738	48,015	
1946	2,408,454	728	
1947	1,481,835	2,234	
1948	2,759,690	137,942	

	PRODUCTION	(in tons)	
	Unrefined Sugar	White Sugar	
1938	329,840	186,802	
1945	274,489	116,040	
1946	272,913	99,052	
1947	148,245	82,531	
1948	201,347	142,820	

25X1

# THE SUGAR INDUSTRY AN LAND SACHSEN-ANHALT

	Sugar Content of Boots (percentage o	Sugar Yield of Boots (percentage
1938	16.9 (hercontage o	14.29
1945	17.9	15.18
1946	17.8	14.99
1947	17.7	15.07
1948	17.76	15.26

## Sugar Losses

Ing Melasses	Lecess In Brocessing
1.56	1.05
1.25	1.47
1.16	1.04
1.64	1.03
1.88	1.22
	1.56 1.25 1.18 1.64

# Daily Production of White Sugar

(in tone)

1938	6 476
<b>4900</b>	8,419
1945	6,794
1946	5,207
1947	5,115
1948	5,974

1938	Area under Oulistation	Yield per Hectare					
	135,040	29.66 296,6					
1945	125,287	21.74 817.4	figure				
1946	105,769		Shorter A Marie "				
1947	110,616	12.91 139.5	Copy of the				
1040	111,795	241.5					

Approved For Release 2008/03/03 : CIA-RDP83-00415R008900030004-5

25X1

# CONFIDENTIAL

New materials, fuel, and auxiliary materials used by the sugar industry: (for a cultivated area of 116,000 hectares)

Goal requirements:

Briquette requirements:

Coke requirements:

Sugar beet yield:

Limestone requirements:

Filtering cloth requirements:

Sugar beet yield:

Sugar

Production: white sugar to fill two trains 100 kilometers long
wet pulp Especialist to fill two trains 100 kilometers long
dry pulp to fill one train 50 kilometers long
molasses to fill one train 50 kilometers long

P.10

CONFIDENTIAL

Explanation:

-hour Mangemen requirements for 1,000 tons of sugar

Sugar content of sugar beets

Indeterminable losses (percentage of sugar bests)

Sugar content of molasses (percentage of sugar beets)

Polarisation yield (percentage of sugar beets)

Ċ

Approved For Release 2008/03/03: CIA-RDP83-00415R008900030004-5

persent

			25X1	
	Production-	hidiamet of the suga	r industry:	<u> </u>
	en e	(in Doutsche marks)		
		Capacity	Quota	Production
	1946/47	243 <b>,000,000</b>	220,340,000	186,980,960
p.15	1947/48	243,000,000	127,650,000	116,637, <b>00</b> 0
<i>(,,,,</i>	1948/49	243,000,000	173,070,000	218,689,740
	Production	Subdivinent of the sug	ar industry:	and F
		/tone of/ (in/white sugar)		
p.16	1946/47	Gapacity 450,000	Quota 371,000	Production 346,224
Γ·.	1947/48	450,000	236,400	215,995
	1948/49	450,000	320,500	404,981
	The Marie Control of the Control			

Approved For Release 2008/03/03 : CIA-RDP83-00415R008900030004	4-5	25X1	

# THE SUGAR INDUSTRY IN LAND SACHSEN-ANHALT

Each year during the working season in Germany 11:3 raw and white sugar factories are engaged in processing the sugar beet crop. Seven refineries process the unrefined sugar into "white gold".

refineries remained in the Soviet Zone of which h? factories and three refineries are in Sachsen-Anhalt, the leading land in sugar production. Sachsen-Anhalt supplies other laender of the The Soviet Zone admittances and for export purposes which in return makes possible the import of vital products.

The Halle Sugar Refinery, with a daily processing capacity of approximately 650 tons is the largest refinery in Land Sachson-Anhalt. The Zeitz Sugar Factory, which processes 2,200 tons of sugar beets daily, is the largest white sugar factory. During the last working season the Elein-Wanzleben Sugar Factory led all other naw sugar factories by processing over 1,900 tons of sugar beets daily. The Reinstedt Raw Sugar Factory, the smallest sugar factory in the Land, processes 200 tons a day. The daily sugar beet processing capacity for the whole Land Sachson-Anhalt amounts to approximately h0,000 tons, Sugar production per working day is about 6,000 tons of rew sugar. The sugar industry employs 22,000 trained factory and officer workers.

Normal losses in factories producing raw sugar are between 2 and 2,35 percent and in factories producing white sugar between 2,75 and 3.05 percent

The Ochserleben White Sugar Factory uses the "Steffen" method in processing sugar beets and obtains a pulp #x [7] residue with 2,5 percent sugar content which is used for forage. Sugar losses thus rise to 4.85 percent.

The transport of sugar beets dominates the whole traffic picture during the working season, Carts, trucks, trains, and boats are all used in transporting the sugar beet.

Prepared tradfic plans govern the transport of the sugar beet and ensure smooth and prompt operation during the working season.

	2	25X1		

#### Production of Sugar

upon reaching the factory, the sugar bests are placed in rinsing basins, and the percentage of dirt is determined. Then they are washed clean and conveyed by elevators to automatic scales and slicing machines, where the sugar content from which the field is calculated is also determined. The extraction of sugar from the cossettes is done in the diffusion process. The best slices are then

arith passes through measuring tanks, defecting pans, saturaters

thickened in the evaporation station, who it is crystallized at the vacuum station (Vakuumstation) The crystallized filler then goes into contrifuges,

where the augar is separated I from the syrup, then dried and packed.

Whereas white sugar factories process sugar beets directly into white sugar, the sugar manufactured by raw gugar factories must be re-processed at refineries. The Desseu Sugar Refinery, which formerly was used exclusively for the extraction of sugar from molasses, is now engaged in processing Rowever.

The and white sugar is molasses is used now exclusively for the extraction of spirits. It is the only plant in the cooled which has the facilities for extracting Sugar from molasses.

In Land Sachsen-Anhalt about 100,000 persons are engaged in the cultivation

of sugar beets on an area of over 110,000 hectares. The Refere crop yield is about 2,500,000 tons.

additional land. The yield of best (leaves) greens corresponds to maximum meadow hay crops from the same amount of land.

The sugar best crop from 10,000 hectares amounts to approximately 320,000 tons which yield the following:

Fresh Steam (pulp) 42.000 tons 18.000 tons

ension dry states) 250,000 tons

(this amount of molesses represents/6,000 tons of baking yeast and 12,000 (hectality = 26.418 gallows)
hattalites of alcohol; if alcohol alone to produced there would be a yield of 36,000 were.

The average yield of grain on the same area of land is about 30,000-35,000 tons, and that of potatoes, about 200,000-250,000 tons. Total yield in terms of nutritive value of grain, potatoes, and sugar beets—for the same area of land—is in theoroportion 1:3:3.

In addition to the sugar factories themselves, large instllations have been built for \$555555555 utilizing the by-products of sugar beet processing and for the canning of beet greens.

Mach year considerable quantities of sugar-best cosseptes, dried pulp, and dried greens are produced for forage.

The sugar industries of other countries and the German sugar industry in one resport. in other countries white sugar is produced in one mamufacturing many German factories process, whereas in sames the same revenues raw sugar is produced from the sugar beets and then processed into white sugar at refineries. refineries. Haturally, less cottly, the single manufacturing process is more efficient and red under the Two-Fear Plan Therefore, 10 raw sugar factories, be converted into white sugar producers. In Land Sachsen-Anhalt four raw sugar factories have Furthermore been/converted In since 1945. addition, the capacity of existing on lishments must be increased. Land Sachsen-Anhalt will strive to fulfill the \so-called goals of the Two-Year Plan and will employ the Worafit Wethod which represents a basic change in the sugar industry.

25X1		
O	ONFIDENTIAL	] r.

as one measure

# The Two-Year Plan - 1949 figures

Item	Amount in/Tons	Value in 1,000 DM
Env sugar	296.2	127,366
White Sugar from sugar beets	125	<b>53,750</b>
White sugar from	<b>20</b> 3	87,290
Confections 357	8.1	12,636

	Economic Situation of the	Confect	ilonary Industry -	- Fourth Q	marter, 1948
			eple-Owned Plants		
Sumber of	Confectionary enterprises:	6	STATE OF STA	6 <b>Jeresia</b>	
A CONTRACTOR OF THE PARTY OF TH	Emper of workers:	774	202	0	
	Production (in tons):	230	59	2	
P-25?	Compact ty ( in town)	2040	3960	•	
	Percentage utilization of capacity:	11.3	14.	9	

	7	RODUCTIO	r Trind I	THE OOM	frot long	en indus	TRY						
			46			194				19	4 g		1949
Ormangea.	1	11	111	IV	I	II	III	IV	1	11	111	IA	1
Capacity in tons	6,000	6,000	6,000	6,000	6,000	6,000	6,000	6,000	6,000	6,000	<b>6,0</b> 00	6,000	6,000
Percentage utilisation of capacity	46.8	27 <b>.</b> 4	52.2	27.5	16	11.5	10.2	24.6	12.8	16.	6 11.8	13.7	10.5
Production quotag in tone	2,600	1,528	1,300	1,700	650	650	700	2*800	<b>70</b> 0	1,000	700	1,200	500
Production in tons	2,811	1,641	1,330	1,651	962	690	611	1,480	766	994	709	855	651
a.) VERAG	-	• ;	•	743	414	362	361	683	332	419	353	230	296
	-	-	-	-	•	•	-	-	•	-	-	· <del>-</del>	
**FEd	eration a	f Pro	pl. 0.	ined S	nterp	rials s	1 the	Jour	, Rav	eragi	e, au	a Tol	acco
	8	ndustr	rès in	Land	Sa	clisen	- an	halt					
** 6	بمؤينيدي ويداريا والمرادية	conf	senativ	la				•	**************************************		25X1		
25X1											· .		
											و		

#### The Confectionary Industry

The confectionary industry comprises 12 confectionary plants which employ 2,800 workers and have a monthly capacity of about 2,000 tons. Il of these Deterprises, with a monthly capacity of 220 tons, are leasted in the Magdeburg city district, and seven plants, with a monthly capacity of \$115 tons, are located in Halle and wicinity. With the industry so concentrated in Sachsen and Sachsen Anhaltements it is impossible to utilize fully a 1 the existing plants.

Therefore, only 6 people-owned and 19 private enterprises are included in the planning of production. These & 25 chterprises are made up of 10 lar e-scale plants with over 100 employees ( hof them people-owned), I medium-sized plants with over 50 employees (2 of them people-owned), and 11 small plants with less than 50 employees, Of these, h can be considered as exclusively bombon manufacturers, 7 as exclusively fondant manufacturers, and 14 as manufacturers of assorted products. The Diamalt AG is the most important firm in the first group, and the Mignon Chorolate Works in Bueschdorf the most important in the second. The Li firms in the third group produce all three confections from time to time. -- bonbons, fondants, and dragees, but concentrate to some extent on a particular type of production. A number of firms like Henze K.G. in Eilenburg are manufacturers of bonbons to the same extern as the above mentioned Diamalt A.G.; The F.A. Oehler firm in Zeitz sp cializes in dragees. The VENAG enterprises, Halle Chocolate Works, (formerly "Most" Gocoa and Chocolate Factory) and the Oschersleben Chocolate Works (formerly Bodeta Schmidt Sons), are especially known as fendant and dragee manufacturers, although they manufacture other candies as well. The VENAG Magdeburg Chocolate Works (formerly Portola) and the Feodora Cooperative Chocolate Factory in Tange muende, are well-known as manufacturers of assorted confection.

Since 1946 a great number of confectionery enterprises have expanded their production program to include ardificial honey, jams, jellies, etc.

25X1		

Some of these factories have also taken up the dehydration of vegetables, spices, and potatoes, as well as the manufacture of Walsmehl (milki flour) ?

Sectionary production figures:

1938 49,062 tons

3,435 tons

1947 3,742 tons

3,248 3,291 tons

the total sales value for 1938 was approximately 89,000,000 Deutsche marks;

the average for the years 1948/48 was approximately 14,000,000 Deutsche marks.

One of the reasons for

The decline in productation was the basic structural change in the industry
1.6. Item cacca processing to the exclusive manufacture of confections.

The basic raw materials required for the manufacture of confections are:

- a) Unblued sugar 99.8 pervent pure
- h) Olear, coloriess capillary syrup up to 44° Banuma (Bumme ?) (EX 80 percent Trocken cubstanz day materance, solid matter)
  - a) filler

In samufacturing bonbons, the sugar syrup is missisted boiling being to vacuum in a quantum cooker and, after cooling, is processed into bonbons by rollers, cutters, and molders.

The manufacture of dragess is completely different. The pieces, shaped in OKA automatic machines, are gradually coated with sugar syrup in tilted, rotating mettles. This type of confectionary is characterized by its rounded Acodesis no seam line.

#### MUMMIN

manufacturing process is followed by an and by machines. The actual to help preserve to preserve and improving the appearance the candy this step consists of candying or glasing the fendants.

25X1

#### THE BAKED GOODS INDUSTRY

samufacture of In comparison with the confectionary industry, the non-perishable baked goods is of minor importance. In addition to the Konsum cooperative backeries. which manufacture some non-perishable baked goods, 13 private enterprises are with a quarterly capacity of 150 tons each Three of these are medium-sized enterprises the engaged in such production. others small plants. Six plants produce wis non-perishable backed goods txduively while all the others produce also bread, food products or confectionates. Over three hundred workers are employed in this industry which is concentrated Worker Stilberg (Ears), Flemging largely in Helme and Magdeburg. The Frivia Cookie (Honighuchen) Factory, helk, Fl. Gross, Halle/Saule are the GmbH, Dessau, and Davids E largesyand best known manufacturers. Non-perishable baked goods are made out of flour, sugar, shortening, and other ingredients. Because of their low moisture content, such baked goods, if \$3% properly packaged, can be wieed for a long time without losing their tasts or wholesomeness. The principal non-perishable soft baked goods are hard and watts opokies (Hart- und Weichkelts), Zwieback, Leb-Honia Kenchen Special machines prepare, mix. kuchen, pretuels, biscuits, dia break, /wafors, and kneed the dough, which is then fed into molding machines and (Schlichtwalsen) Stamping machines shape the dough which is then baked.

25X1

0. 32

25X1

Perfume Oils and Mesential Oils

The manufacture of perfuse and essential cils is merely an auxiliary branch of the food industry. There are 33 small or medium-sized plants engaged in such production, 30 of which receive production quotae. Ten enterprises produce perfuse and essential cils exclusively and 30 have a mixed production, including pharmaceuticals, spiritous liquors, mineral water, fruit juices, preserves, and baking flavors. The majority of these plants are located in Halle and Magdeburg, 8 being located in the former and 9 in the latter. The following are large and well-known firms whose angual turnower is near a million Dentsche marks: VENAG Essential Cils Factory, Magdeburg,: Para Works, Pohle & Erben, Raguhn; C. Winkler & Co., Halle(S asls); F. W. Richter, Magdeburg; Gross & Co., Herseburg. Maturelly pure essential cils from plant or animal materials and synthetics are manufactured.

The following methods are used for the extraction of assential oils:

a) Distillation

Showsh heated 95-percent alcohol, the volatile constituents are distilled off into rators and then condensed.

- b) ExtractionThe aromatic substances are extracted in special appratus by means of heated alcohol; all ingredients which are soluble in EMMMM alcohol, including the non-volatile material, are thus extracted.
- e) Maceration: Steeping of raw material in an alcohol or water and alcoholic on extended mixture at room temperature, ever subsug period of time. Special apparatus (percolators) are used.
- d) Digestion

Shorter and

The method is essentially the same as maceraion but is carried out at a

e) Selution

A dissolving process which is generally used only for volatile oils and and support of the state of the state

Combinations of these processes are also used. Although the distillation method is favoured in the manufacture of these essential oils, the extraction method is used for heavier esential oils.

p 33 + 35

Approved For Release 2008/03/03 : CIA-RDP83-00415R008900030004-5

# Picture :

- 1. Partial view of the People-Owned Dessau Sugar Refinery (p. 5)
- /White/ Full view of the People-Owned/Sugar Factory in Zeitz. (aerial photo)
- Partial view of the People-Owned Sugar Refinery in Dessau (p. 11)
- Full view of the People-Owned White Sugar Factory in Zeitz.
- MAN of white sugar centrifuges at the People-Owned White Sugar Factory in Zeitz.
- View of the buildings of the Hostensleben Sugar Factory (p. 17)
- View of a sugar-beet silo at the Sugar Factory In Gatersleben (p 18)
- Ficture of the diffusion battery at the Hostensleben Sugar Factory (p. 18)
- Picture of the Saturator at the Hoetensleben Sugar Factory (p. 19)
- 10. View of mthe saturation and evaporation station at the Hoetensleben Sugar Factory (p. 20)
- 11. Picture of four cookers at the Hostensleben Sugar Factory (p. 21)
- 12. Five views of employees rooms and sanitary installations at the Dessau Sugar Refinery (p. 23)
- 13. View of operations in the bonbon division of the KKI Flemming GmbH in Deasau (p. 29)
- 14. Picture of workers operating &Z bonbon-wrapping machines at the Henze K .- G. in Eilenburg. (p. 29)
- 15. Picture of the dragee division (shows tilted kettles) at the VENAG Chocol pate Works at Oscherslebem (p. 30)
- 16. Picture of a candy-molding machine for fondants at the VENAG Chocolate Factory (p. 30) at Halle
- 17. Picture of several women working at a candy glazing machine at the VENAG Chocolate Factory in Halle (p. 30)
- 18. View of gateX and approaches of the Boshme A .- G. in Delitzsch (p. 31)
- 19. View of machines for preparing dough at the Flemming GmbH in Dessau (p. 32)
- 20. Picture of a machine for rolling, stamping, cutting, and imprinting cookies at the Friwi Works in Stolberg (Harz). (p. 32)
- 21. Picture of distillation equipment at the VENAG Essential Oils Factory in Magdeburg (p. 33)
- 22. Picture of cooking wats at Winkler & Co. in Halle (Saale) (p. 35)
- 23. Picture of the laboratory at the VENAG Essential Oils Factory in Magdeburg. (p. 35)

Approved For Release 2008/03/03: CIA-RDP83-00415R008900030004-5

ECONOMIC MALATION: Milk, Fat, and Meat Products

25X

	economic.	AMEATION: MI	lk, Fat, and M	eat Products	
	Fourth Que	Sour Milk Oheese	Oil Seed Processing	Margarine	Meat
	Processing	Oneese	1100033416		
umber of lants eople—Øwned			2	1	2
rivate	62	133	3	1	2742
loopera <b>biv</b> es	230			**	26
fumber of	blank	and the particular section is a second particular and an extend of the second section is a second section in the second s		n.200	333
eople-dwned			379	3 <b>78</b>	
Private plan	to 360	724	72	274	5791
Cooperative s	2,080	* eas + eas.	essis. State	<b>-</b>	101
Production (in tons) People—Owned	olants 1		4,050	1,000	610
Private plan	ts 16,861	676	290	5 <b>,20</b> 0	5,162
Cooperatives	82,334			-	266
Capacity (in tons)					
People-Øwne		-	4,050	2,700	1,575
Private plan	45,300	5,000	1,300	10,000	27,234
Cooperatives			_	n	777
Percentage Utilization of Capacity					
People-Owner	<b>1</b>	900 400;	100	37	38.7
Private pla	JS 37	13.3	22	52	19
TTAGO S					34.2

## Milk Products and Fats

25X1

Two important aspects of the manufacture of milk products and fats are the processing of milk at dairies and the processing of chelicums cilseed and cil at cil mills and margarine factories.

Land Sachsen-Anhalt has 290 dairies, 133 cheese factories, 28 oil mills, and 3 margarine factories. The total turnover in the milk and fats industry amounted to 79,000,000 Deutsche marks in 1947 and 117,000,000 Deutsche marks in 1948.

The dairies include 231 Raiffeisen cooperatives (Gen. Betriebe), one state-owned enterprise, one Konsum enterprise; one VdgB (Peadants Mutual Aid Association) enterprise, and 55 private enterprises. Although the majority of dairies are located in the northempart of Land Sachsen-Anhalt, dairies in the south actually have a higher capacity. If the dairies were to utilize their full capacity they could process 1,000 tons of milk for drinking, and make 2,100 tons of butter and 945 tons of cheese and quark (whey cheese). Sixty-one dairies have a daily capacity of up to 5 tons; 139 a daily capacity of EXXXX 5-10 tons; 73 a daily capacity of 10-20 tons; and 17 daily a daily capacity of over 20 tons.

The Raiffeisen dairies in Magdeburg and Zeitz are two of the most important enterprises in Land Sachsen-Anhalt. The table below indicates the change in the organizational structure of the dairy system which has taken place AX in recent years.

Year	Coope	ratives	Privat	te Plants	Other types of Susiness Organi-		VENAG, Konsum and VdgB		
	No.	in %	No.	in %	zation No.	in A	No.	in \$	
1938	242	70.8	96	28.1	4	1.1	-	•	
1947	230	78.5	59	20.4	-	-	4	1.1	
M11k 1	De <b>liv</b> e r	ies Recei			1938		1947		
in per	ratives cent is	<b>₹</b> <b>5</b> √ 5 €		1	78.1 640,4	00	83.3 3 <b>74.</b> 200	) )	
Privatin per in tor		<b>ts :</b>		A Page 18 A Page	19.1 156,		15.6 70,300		

22,700 1947

Other types of business organizations! in percent in tons

VENAG L Konsum and VdgB in percent in tons

1.1 4,900

#### Cheese Factrobas:

In the last few years a number of dairies have begun producing rennet cheese (Lankaese) in order to make better use of the milk and also thereby to provide a better price for the milk producer. Up to now remnet cheese has been made in only a few of the southern dairies, while all the others have been so engaged exclaurively in the processing of skim milk into sour or curdled milk and into white (whey) cheese. The following are the MANNAM principal types of rennet cheese manufactured: Camembert, Limburger, Tilsiter, Hollaender.

The making of sour milk cheese in Land Sachsen-Anhalt dates back to 1866. At present, 133 plants, concentrated principally in the Earz region, have a quarterly capacity of 5,000 tons. The majority of the plants manufacturing sour milk cheese are small enterprises.

Number of Plants	Quarterly Capacity	Percentage of Total Capacity	Cheese Broduction (in tons)
			1938 1947
99	74.4 % up to 50 tons	2.585 t51.7 % 930 t 18.6 % 985 t 19.7 \$	
<b>.</b> ,	20.3 % up to 100 t	930 t 18.6 %	13,900 7,500
6	4.5 % up to 300 t	985 t 19.7 <b>%</b>	./\
1	0.8 % up to 500 t	500 t 10.0 %	

Formerly, these factories obtained the basic substance "Quark" from all sections of Germany and from foreign countries, but since 1945 they have been dependent exclusively upon the quark obtained in Land Sachsen-Anhalt. However, the full capacity of the plants has not yet been reached. Processicheese is not manufactured in Sachsen-Anhalt, although this is projected under the T.o. Year Plan. An increase IN use of whey is also planned.

25X1 CONFIDENTIAL

#### PRODUCTION TREND -- Milk and Fats

7 mg	Approved For Release 2008/03/03 : CIA-RDP83-00415R008900030004-5												
	PRODUCTION TREND Milk and Pats												
			<b>1</b> 946			194	7			1948		<b>.</b>	1949
200g 2014 2015	1	11	111	IA	I	11	III	14	1	11	111	IA	1
Capacity in 1,000 DM	129,000	129,000	129,000	129,000	133,000	133,000	133,000	133,000	143,000	143,000	143,000	143,000	143,000
Percentage Utilization of Capacity	13.8	16.7	14	12.7	13.2	12.5	17.8	15.8	16.9	16	17.6	30.9	28.2
Production Quotes in 1,000 DM	18,100	23 <b>.60</b> 4	14,246	15,821	15,819	22,045	15 <b>,17</b> 9	12,369	13,177	13,712	22,214	31,8½0	32,593
Production in 1,000 DM	17,771	21,542	18,177	16,490	17,664	16,750	23,750	21,064	24, 249	22,962	25,291	44,218	40,271
a.) VEHAG	-		-	-	•	-	•	-	<b>5.</b> 934	1,638	4, 247	13,770	7,842
b.) Cooperatives	12,306	16,764	13,789	12,438	14,676	13,839	14,298	11,570	13,145	12,747	16,771	16,595	28,080

Federation of People-Owned Enterprises for the Food, Beverage, and Tobacco Industries in Land Sachsen-Anhelt

#### PRODUCTION TREND - Butter

	1946			1947				1948			<b>1</b> 949		
	I	II	111	IV	I	11	III	IV	1	II	111	IV	1
Capacity intens	10,000	10,000	10,0000	10,000	10,000	10,000	10,000	10,000	10,000	10,000	10,000	30,000	10,000
Production Quotain tons	4,061	5 <b>• 37</b> 4	3,481	3,323	3 <b>,</b> 134	5,260	3,817	1,627	2,492	3,022	3,715	2,180	2,940
Production in tons	3,171	5,171	3,575	3,337	3,654	3,823	3,254	2,123	2,520	2,847	2,813	2,320	3,669
a.) VENAG	-	-	-	•	-	-	-	-	14.	-	-	-	- Ļ
b.) Cooperatives	2,547	4,130	2,870	2,661	2,929	3,048	2,643	1,677	1.975	2,298	2,262	1,835	3,119
Percentage Utild- zation of Capacity	31.71	51.71	35 <b>.7</b> 0	33.36	36.54	38.23	32 <b>.</b> 54	21.23	25.20	28.47	28,13	23,20	36 <b>.6</b> 9

b.) Cooperatives 2,547 4,130 2,870 2,661 2,929 3,048 2,643 1,677 1,975 2,298 2,262 1,83

Percentage Utildzation of Capacity 31.71 51.71 35.70 33.36 36.54 38.23 32.54 21.23 25.20 28.47 28.13 23.20

Pederation of People-Owned Enterprises of the Food, Beverage, and Tobacco Industries in Land Sachsen-Anhalt 25X1

# CONFIDENTIAL

Oil Mills'

There are three oil mills operating in Sachsen-Anhalt — the people-Owned Magdeburg Oil and Fat Works and INE two smeller private plants. The capacity of the Magdeburg works was increased last year by the installation of an extraction plant.

From the processing of 66 tons of and the daily, 2,563 tons of oil were produced in 1947 and 3,107 tons in 1948.

In addition to the oil mills which operate exclusively that the supply plan, 25 small mills process oil seed for small better on contract. A Commission basis

The people-owned Magdeburg Oiland Fat Works, the Dommitzsch Konsum Margarine Factory and the Milka Margarine Factory in Pratau (Elbe) process vegetable oils into margarine.

The total capaicty per working day is 115 tons of margarine, of which the Milka Margarine Factory produces 80 tons daily.

Margarine production was 3,225 tons in 1947 and 10,155 tons in 1948. Production was increased 21.5 percent [sic] in 1948 by importing sunflower oil from thr USSR.

25X1

CONFLUENTIAL

CONFI		25X1
	TALL	

## Milk Processing:


Very little milk is processed for drinking purposes, since most of it is made into butter. The milk is first skimmed, the cream heated and then cooled. Only pure cultures containing special bacteria are used to sour the cream. The butter produced is composed of 79 percent fat, I percent non-fat the culture (Society); and 20 percent water. The standard yield for one kilogram of butter is set at 80.68 fat units, a maximum of 23.05 kilograms of milk with 3.5 percent fat content may be used. The skim milk produced is a valuable food items from which remnet choose, quark, and sour-milk choose are made.

# Processing of Oil Beedi

After the cil seed, which week have, a certain/sittle content, have been cleaned and dried, which week have, a certain/sittle content, have been cleaned and dried, which week orushed and then pressed out by means of a hydraulic or screw press. After pressing, the cil cake still has a 7-10 percent cil content. It was formerly used as forage. Today, by extracting more from the EXX residue, the cil content is reduced to one percent. The protein content of the cil cake is 33 percent. The extraction method of obtaining the cil employs benzine in a chemical process. The EX crude cil obtained through either method, pressing or extraction, is not fit for human consumption because of the bitter principle it contains, and must therefore be refined. The crude cil is described in refining kettles by being treated with a solution of caustic soda.

	20/(1	
O	ONFIDENT	Ł

SKIMMING AND HEATING OF MILK



# CONFIDENTIAL

## The Two-Year Plan

Plan for 1949;

			1000	
I tem	,		Amount in tons	Value in 1,000 DM
Vege tab	le Oils	, emde	4	5,600
*	* #	refined	5.68	8,179
	*	hardened	9	13,500
Margaria	10		11.9	19,635
Butter			12.6	40,320
		eisequark)	4.8	1,920
Skim-m		sing into cheese	1.9	883
Alleh ape	1000	high fat content	7.6	6,536
Est theor		tion tal Chileset	<b>**</b> **	• •

CONFIDENTIAL

COMPLINITIAL

#### The Manufacture of Margarine

Margarine is manufactured from vegetable fats (some with supplementary animal fat), and water, exceeds now an admixture of HINDER glucese, potate starch, common salt, and other substances.

Most of the vegetable oil extracted in the oil mills is used as raw material for the manufacture of margarine. Sixty percent of the (hydrogenated 1) eil used for the production of margarine is hardened/at Rodlebon, the largest hardening plant in Land Sachsen-Anhalt. Margarineponsists of 55-60 percent hardened fats and 45-40 percent liquid oils.

In manufacturing margarine the hardened fats are first melted in special meding vessels. The melted fat passes inside through a weighing device to the tempering or mixing vessels, where it is mixed with the liquid oil and other necessary ingredients. The resulting smulsion is cooled in special cooling drums, kneeded, shaped, and packed. The margarine must contain 78 percent fat, 2 percent non-fat depositions.

#### Nest Products

The meat products industry in Land Sachsen-Anhalt is not operating at full especity. Approximately 3,000 small plants supply the public with meat and sausage products. Up to 1945 the business of the meat products factories was conducted exclusively on a mail order basis with all sections of Germany.

The meat products factories suffered greatly the changed conditions. Some of them took up the processing of slaughtered animals on a commission basis.

25X1

CONFIDENTIAL

CU	PLUBULAN	Al.

The Two-Year Plan

Plan for 1949

Item	Amount in 1,000 tons	Value in 1,000 DK
Heat	20.5	28,420
Slaughtoring fat, raw	<b>3.</b> 2	4,641
Caned meat	1.0	1,900

CONFIDENTIAL

*		Approved For Release 2008/03/03 : CIA-RDP83-00415R008900030004-5									<b>,</b>			
MBGIA		PRODUCTION TREND — Fresh Heat 1948											19119	
		194				19	47 III	17	. I	11	111	14	1	
2	1	III	II	IA	I	II	711	47		••		. <del></del> .		
Capacity in tons	29,600	29,600	29,600	29,600	29,600	29,600	29,600	29,600	29,600	29,600	29,600	29,600	29,600	
Percentage Dilisation of Capacity	19.2	20.1	16.3	19.4	16.4	17.0	18.2	31.8	20.3	11.8	14.4	20.4	13.2	
Production quotas	14,000	6,650	5,200	4,700	4,255	5,260	4,126	7.328	5,116	2,917	4,503	5 <b>.79</b> 3	3,600	
Production in tons	5,678	5,961	4,541	5.740	4,853	5,036	5,381	9 <b>,</b> 1:17	6,013	3,481	4,272	6,038	3,906	
a.) VERAG* b.) Konsun**	-	-	-	-	-	-	-	-	-	-	-	-	236	

Federation of People-Owned Enterprises of the Food, Beverage, and Tebacco Industries in Land Sachsen-Anhalt

\*\* Consumer conferation

## Milk. Fat, and Meat Products

2581	

#### Pictures:

CONFIDENTIAL

- 1. Full view of the Zeitz dairy.
- 2. Full view of the Fratau (Elbe) Margarine Factory.
- 3. Full view of the VENAG Magdeburg Oil and Fat Works.
- 4. Milk receiving department at the Zeitz dairy.
- 5. Heating and (cream) separation stations at the Zeitz dairy.
- 6. Butter manufacturing section at the Zeitz dairy.
- 7. Camembert cheese department at the Zeitz dairy.
- 8. "Fritz" butter-making equipment at the Zeitz dairy.
- 9. "Fritz" butter-making equipment at the Burg dairy.
- 10. Screw press at the Magdeburg Oil and Fat Works.
- 11. Extraction plant at the Magdeburg Oil and Fat Works. (center)
- 12. Extraction plant at the Magdeburg Oil and Fat Works. (right)
- 13. Refining process -- sebacic acid section of the Pratau (Elbe)
  Margarine Factory.
- 14. Refining process dead that Pratua (Elbe) Margarine Factory.
- 15. Churning process , Pratau (Elbe) Margarine Factory.
- 16. Cooling drums at the Pratau (Elbe) Margarine Factory.
- 17. Packing room at the Pratam (Elbe) Margarine Factory.
- 16. Preparation of meat at the Halberstadt Meat Products Factory.

# Approved For Release 2008/03/03: CIA-RDP83-00415R008900030004-5 Grain-Processing Industry

	Flour	Certal Rock	Edible Pastes	Coffee Substitute	Malt
Industrial Plants				•	
a.) People-owned	14	6	2	3	7
b.) Private	1569	16	18	6	8
c.) Cooperatives	1	3	<b>-</b> .	-	<b></b>
Employees					
a.) People-wwned		125	98	377	244
b.) Private plants	3622	186	238	123	290
c.) Cooperatives	350	38	-	•	
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1			•		N
Production Plant	₹				
a.) People-owned,	19,405	<b>7</b> 50	570	2,600	8,100
b.) Private plants	68,958	1,278	1,430	900	5,400
c.) Cooperatives	5,383	<b>60</b> 0	. •	-	- \
					\$
Canaci ty	ê5				
a.) People-owned	44,180	2,400	700	4,490	16,800
b.) Private plants	164,820	8,410	2,100	1,900	11,200
c.) Cooperatives	15,000	4,950	-	-	\ <b>-</b>
Percentage Utili- zation of Gapacity					
a.) People-owned	43.92	31.25	81.42	<b>57.</b> 90	48.20
b.) Private plant	41.83	15.20	68.10	47.36	48.20
c.) Cooperatives	35.88	12.12	-		- 1
		25X1			

SUNFIDHNILLAN

Approved For Release 2008/03/03 : CIA-RDP83-00415R008900030004-5

25X1			PRODUCT	ion trend:	: Grain	<del>-Proc</del> ess:	ing Indus	stry	Malde	Restacts (		Mible Par estitute	s <b>te</b> ;
	€	Šia .	1946			<b>1</b> 94	7			19	14 <b>8</b>		191:9
5	1	11	III	IV	I	11	III	14	1	11	111	IV	I
Capacity in 1,000 DM	<b>77.1</b> 34	77.434	78,434	81, 434	77,510	77,600	78,645	81,645	<b>81,51</b> 0	g1,690	82 <b>,</b> 690	85 <b>,757</b>	85,757
Percentage Willization of Capacity	2 <b>7%</b>	30 <b>%</b>	29 <b>%</b>	3 <b>8%</b>	34%	33%	314%	43%	140%	35%	39%	41%	37%
Production quotag in 1,000 DM	50° jt <b>J</b> 0	23,331	20,222	32 <b>.</b> 769	27,100	27, 490	28,956	37,658	31,146	28,461	30,963	37,077	33.37
Production in 1,000 DM	20,849	23,330	23,11:5	31,187	26,710	26,003	27,022	35,494	33,094	28,824	32,251	35. l:77	31,797
a.) VEWAG	-		-	•	3,699	6,151	6,894	7,403	6,780	6,411	7.514	10,237	10,099
b.) Konsum	2,043	2,030	2 <b>,7</b> 93	3.648	4,025	2 <b>,7</b> 09	3,200	2,846	3,331	2,421	3,612	2,515	3.959
							ř.				25X1		NETOBINITY

25X1 Approved For Release 2008/03/03: CIA-RDP83-00415R008900030004-5 PRODUCTION TREND: Flour Manufacture 1949 1948 1947 1946 1 IV III I 11 III IV 11 IV I III I II. 224,000 554,000 25<sub>7</sub>,000 224,000 224,000 55,4000 554\*000 224,000 224,000 25,4\*000 224,000 224,000 Capacity in tons 224,000 39% 42% 42% 34% 36% Percentage fitili-36**%** 34% **39%** 34% 27% 45% 27\$ 30% zation of Capacity 92,000 85,000 95,000 90,000 75,000 80,000 Production Guotas 72,000 80,000 100,000 70,000 60,000 8 8,210 61,000 67,900 in tons 93.746 94,822 81,920 77.314 80,253 76,971 87,570 76,524 95,786 68,200 61,417 67,900 Production in tons 21,308 19,405 20,848 13,785 11,157 14,260 15,333 16,716 16,379 a.) VEHAG 11,509 🔌 **5,38**3 8,239 5,906 6,943 7.022 6,396 6,182 11,218 6,598 9,488 5,426 4,830 b.) Konsum

Federation of People-Owned Enterprises of the Food, Beverage, and Tobacco Industries in Land Sachsen-Anhalt

#### Flour-Milling Industry

# CONFIDENTIAL

There are about 1,700 flour mills of various sizes in Land Sachsen-Anhalt. The fertility of the soil coupled with an intensive agriculture gave rise to a flour-milling industry which, because of its capacity and the raw material situation. The task of milling grain for the neighboring regions, Brandenburg, Westfalen, Sachsen, and Thueringen.

Furthermore, large quantities of grain were imported for processing from foreign countries by way of the Elbe waterway.

The mills in Land Sachsen-Anhalt are divided as follows:

79 mills with a daily capacity XX over 10 tons

95 mills with a daily capacity XX over 5 tons

1500 mills with a daily capacity under 5 tons

The 79 large mills with a daily capacity over 10 tons are located geographically as follows: 33 in the Halle district; 38 in the Magde-burg district; 8 in the Dessau district.

These mills are located at transportation centers such as railroad jucntions and water relay points. The following are the most important large mills in Land Sachsen-Anhalt:

Name	Location	Daily Capacity in tons
Konsum Cooperative Union, GmbH Magdeburg Mill	Magdeburg	200
(VENAG) Magdeburg Milling Works	Magdeburg	200
(VENAG) Alsleben Milling Works	Als leben (Saale)	130
Hildebrand Milling Works A.G.	Boellberg-Halle	110
(VENAG) Bernburger Saalmuehlen	Bernburg	100
(VENAG) Milling Works	Stendal	60
W. A. Drenckmann, Steam Mill	Magdeburg-Sudenburg	60
A. F. Deissner, Mill	Schoenebeck (Elbe)	55

The milling industry stating daily processing capacity, which work for about 700 commercial mills and 1,000 mills which work for

farmers on a commission or barter basis.

oproved For Release 2008/03/03 · CIA-RDP83-00415R008900030004-5

Approved For Release 2008/03/03: CIA-RDP83-00415R008900030004-5 25X1 CONFIDENTIAL

## THEXALLINEX INCHES

The commercial mills concentrate principally upon the manufacture of high-grade flour at competitive prices. The efficiency of the equipment is the determining factor on this matter.

After 1945 the required 99-percent for for rye and wheat confronted the commercial mills with new tasks. Similarly, a barley state of 87 percent and oats ### of 62 percent ### were difficult to attain, since the equipment was not adapted to such performance. The necessary machines for the required processing of oats -- which had not been prevalent up to then, were not available.

CONFIDENTIAL

25Y1	
25X1	
20/(1	

Approved For Release 2008/03/03: CIA-RDP83-00415R008900030004-5

		061/4
Approved For Release	2008/03/03 : CIA-RD	P83-00415R008900030004-5

1			

Flour Memufacture

prevent

Upon receiving grain, is mills take measures to prove the grain establish extractor data.

from spoiling and to distribute the determined. All efforts are made to minimize losses in the unloading process. The larger mills use pneumatic unloading equipment, particularly when unloading ships. By means of suction air this equipment fills the individual bins of the silo granary. Automatic scales weigh the grain, which usually goes through a cleaning process as well. In order to prevent spilage, the grain is turned over several times, according to the length of time it has been stored. The grain is cleaned again before being ground.

The milling process consists of crushing the kernels of grain by means of millstones ex -- in modern mills -- by crushing between steel or porcelain rollers. The thin-walled cells of the grain kernels burst during the milling process and free the starch granules. The coarser flour particles go back through the roller frames again. This process is repeated intil the product conforms to standard flour types. The flour produced goes to automatic scales and then to the packing or storage room. The bran residue (Kleie) must be specially stored. Grits \* are a product of the inner wheat kerne!

	25	X1	

KARAM METERS STORY OF

## The Two-Year Plan:

Plan for 1949:

Item	Amount in tons	Value in 1,000 DM
Flour of all types	400	105,200
Cored products Bedievelse of all types	35.5	21,655
Edible pastes	10	6,000
Coffee substitute	12.3	4,880
Malt	20	10,600

Approved For Release 2008/03/03 : CIA-RDP83-00415R008900030004-5
Cereal Roducts  Pendentiffs and Edible Pastes
. Aucto
The processing of grains for terretains in Land Sachsen-Anhalt
is a relatively recent development which will be gradually expanded.
Before 1945 Sachsen-Anhalt had:
1 plant manufacturing robled cass (catmeal) 3,000 tons annual capacity
3 plants manufacturing pearl barley 12,900 tons annual capacity
7 plants manufacturing edible pastes 3,400 tons annual capacity
In order to guarantee the food supply for the population the food
industry had to be considerably expanded after 1945. This expansion has
been essentially completed so that Land Sachsen-Anhalt has; as of 1 July
1949
6 plants manufacturing rolled oats (oatmeal) 13,000 tons annual capacity
11 plants manufacturing pearl barley 37,400 tons annual capacity
7 plants manufacturing baby foods 9,016 tons annual capacity
20 plants manufacturing edible pastes 12,665 tons annual capacity
These plants employ a total of 720 workers and employees.
Before the war, food requirements were met principally by purchases
from other Laender, Rolled oats and pearl barley were obtained from Land
Weeklenburg and the Free City of Luebeck, and edible pastes from southern
Germany (Wuerttemberg and Baden). These Laender, had developed considerable
food industries corresponding to the needs of their respective populations.
specializin moderately-priced quality products,
The second secon
25X1

CONFIDENTIAL

## The Manufacture of Rolled Cats (Catmeal)

In manufacturing robled cats (oatmeal) the wholk norm of 57 percent must be strictly observed. This norm can be reached if the oats used have a minimum hectoliter weight of 50 kilograms.

The cats are freed from the hulls and other impurities by a cleaning process. Then they cats are hulled. To do this, the cats are and steamed dried, and the bitter substances are removed. At the same time the hull becomes friable. After the dried cats are cooled the hulling process begins. The hulls are separated from the kernels by a table sorter. Crushing is the last step in manufacturing/rolled cats, which are packed, after cooling.

25X1

CHINADE SONIA

## The Manufacture of Pearl Barley (Greats)

Hulling mills make pearl barley (groats) out of barley. The manufacturing process is similar to that used in grain mills, with the difference that the barley granules are not ground but only separated from the hulls. The quality and fineness of the groats depends upon the number of hulling processes used.

The resulting product is called coarse barley (groats). In mamufacturing barley-groats the barley is put through a grits cutter. The waste amounts to an additional 2-3 percent.

25X1			
		-	

Approved For Release 2008/03/03 : CIA-RDP83-00415R008900030004-5

CONFIDMINTIAL

The Menufacture of Edible Pastes

The manufacture of edible pastes requires a faultless flour-mixing installation, hoodle cutting machines, or presses, and good drying equipment.

The maintenance of risk norms is dependent principally upon the drying equipment. Before 1945 the percentage of shrinkage was 6 percent in manufacturing edible pastes having a 10-11 percent moisture content.

This moisture content ensures the edible pastes virtually complete stability in storage. The percent are of shrinking allowed at present is only 3 percent, which means that the edible paste must have a moisture content of 13 percent. After the paste has been prepared it goes through follers or presses into cutting machines. Plants with modern equipment have automatic presses which combine these operations. It takes about 6-24 hours to dry the edible paste.

## DIAGRAM

- 1. RAW MATERIAL la. Flow FEEDER
- 2- ELEVATOR
- 3- FLOUR SIEVE INSTALLATION
- 4.- SPECIAL FLOUR SILO
- 5. FULLY AUTOMATIC PRESS
- 6. VENTILATOR CONVEYER MACHINERY
- 7 AUTOMATIC HURDLE TABLE (Hordenfisch)
- 8- DRYING SPACE
- 9- POURING DOWN
- 10 .- FINISHED PRODUCT

## TAP TORNITAL

#### Coffee Substitutes

Land Sachsen-Anhalt has two large plants and seven medium-sized plants which manufacture coffee substitutes. The two largest plants are Certal Froducts Plant the VENAG Coffee Substitute and Footstall in Halle/Saale (monthly capacity of 1,000 tons) and the Sachsen-Anhalt Konsum Cooperative Union GmbH, Magdeburg Coffee Products Plant (monthly capacity of 300 tons). Favorably situated for both rail and water transport, they are the largest plants of their kind in Germany, and cambeet the coffee substitute requirements of central, north, and east Germany.

All plants working at full capacity could produce approximately 2,100 tons of coffee substitutes monthly. Barley, rye, and cats are the raw materials used for manufacturing these coffee substitutes. A small percent page of sugar-beet cossettes and chicory provides the flavor. A sifter frees the grain from impurities, after which it is roasted. The roasting period lasts several hours, depending upon the degree of roasting. the substitute materials, such as sugar-beet cossettes and chicory. The raw materials are ground separately in the matches of eller mills. . They are mixed according to a prescribed formula in a mixing machine. The finished coffee substitute gammatakens is conveyed in tubes to the packing rooms. Coffee substitutes require Karranta dry storage rooms.

#### COFFEE PACTORY GRAIN

1. - RECEPTION ELEVATOR 2 - ADOWN TUBE AFTER FABRICATION 3.- ELEVATOR TO CLEANING PROCESS 4 - ASPIRATOR 5 - LIFT-OVER ELEVATOR 6. - SORTING CYLINDER & SEPERATOR 7 - CYCLONE (CLYANGE) R-SOFFENING CONTAINER 9. MALTING INSTALLATION A. SEED DRUM 13. SEED BOX C. THRASHING FLOOR

10 - ELEVATOR TO THE ROASTER

12 - ROASTING APPARATUS

11 - FEED PIPE

13- COOLING SIEVES 14- CONVEYER BELT 15.- ASPIRATOR FOR ROASTED GOODS 16- RACKING CONTAINER 17 - PACKING TABLE TRACKING SCALE IR- & BAG MACKING 29,- SLIDE

Getreide Lager = "S. Virilinio ringa. Rosdere Approved For Release 2008/03/03: CIA-RDP83-00415R008900030004-5 Approved For Release 2008/03/03: CIA-RDP83-00415R008900030004-5

		TAN MATOR NATA	
<b>Mal</b> thouses	25X1		

Because "Saale barley" is used extensively as brewery barley, the malt industry of Land Sachsen-Anhalt enjoys a favorable raw material position. A distinction is made between brewery-malthouses and commercial malthouses (Handelsmaelzereien). Brewery-malthouses are a part of the actual breweries themselves, whereas commercial malthouses are not located on brewery grounds. Brewery-malthouses, which sriginally constituted the malthouse industry, are not now included in production.

Land Sachsen-Anhalt has 15 commercial malthouses of which seven belong to the VENAG (Federation of People-Owned Enterprises of the Food, Beverage, and Tobacco Industry in Lands Sachsen-Anhalt). The most important commercial malthouses in Land Sachsen-Anhalt are:

1.)	(VENAG) Konnern (Saale) Malt Factory	monthly capacity in to 700
s.)	(VENAG) Wrede Malt Factory, Mothen (Anhalt)	625
3.)	Aktien Landsberg Malt Factory, Landsberg	500
4.)	(VENAC) Schkeuditz Malt Factory, Schkeuditz	500
5.)	(VENAG) Sangerhausen Malt Factory, Sangerhausen	(400) 400
6.)	Eisleben Walt Factory A.G., Eisleben	225

The malthouses, in addition to meeting Sachsen-Anhalt requirements, ship to all GDR Laender except Thueringen. Still the malthouses are not producing at full capacity. Before 1945 Rheinland-Westfalen and northern Germany were also purchasers of this quality product. Sachsen-Anhalt malt was even shipped overseas. Therefore, the malthouses are at present forced /dehydration/ to use their plant installations for the ATTIME of vegetables, potatoes, herbs, and tobacco.

CONSUDENTIAL

Approved For Release 2008/03/03 : CIA-RDP83-0	0415R008900030004-5
!!	
•	25X1

The Manufacture of Malt

Barley cannot be used in its original form for brewing purposes.

The starch in the barley, which is important in the brewing process,
must be freed by malting. Artificial germination of the barley is induced in the "Weiche" (steeping tubs) by means of water, heat, and air.

\*\*Teeped\*

After the barley has been sufficiently, the material is taken to the thrashing floor where it is constantly turned, spread, and piled up. After about eight days the germination is interrupted.

The "green malt" is KKKKKK transferred to the drying room where the radicle quickly dies. The germs are memoved by cleaning machines. The malt is then ready and after several weeks of aging can be browed.

25X1			


TO THE POST AL

## Production and Working Processes in Malthouses



- 3) Receiving station for the barley
- 4) Weighing and testing of barley
- 5) Storage receptacle
- 6) Transportation to barley cleaning by a) bucket conveyer, b) pneumatic chi glevator
- 7) Cleaning and sorting of barley and weighing out of cleaned parts
- 8) Stocking of cleaned barley on a)floors b) silos
- 9) Working on barley with shovel b) trickling c) airing
- 10) Weighing and soaking of barley ( treated by watering, repumping, airing) operation lasts four days.
- 11) By-product- float barley (weighing, drying, storking)
- 12) Softening of barley a) on thrashing floors b) in boxes or a) and b) combined c) in drums
- 13) Treating of green malt during period of germination (7-9 days) a) by hand b)

  mechanical
- 14) Transportation of green malt toxi air-drying room by a) bucket conveyer b) pneumatic
- 15) Transport of green malt to drying room, as indicated in 14) kiln
- 16) Loading in drying (spreading on the upper hurdle) a) by hand b) with cars c) through pipes
- 17) Drying of malta) heating of kiln, b) turning of malt 1. of hand 2 by mechanical turner c) carrying-away and weighing of malted dust (waste material) d) carrying away of ashes.
- 18) Malt is pushed down from kiln and stored in boxes a) by hand b) semi-mechanically c) mechanically.
- 19) Transporting of malt for cleaning a) was bucket conveyers b) pneumatic conveyers
- 20) Germinating and cleaning of malt
- 21) Weighing and carrying-away of malt to storage place (floors, silos) a) by manpower b) by mechanical means 1.pneumatic 2. bucket conveyers
- 21a. Storing of finished malt
- 22. Putting malt in sacks and getting it ready to transport to crushing room
- 23. Loading of malt a) by hand b) through slides c) by conveyer



And the first of a line of the the tile that the second of the

hill view of the 1884 glass to J Fictures Tiber this and Trademin Frant.

io. Iras receseo at 11 mms. Till. Sqfigg Substitute and Is isomit Flant.

- 17. Packing there's at the linear Control of the last Control of the Control of t
- 2. VENAG Alsleben Milling Works.
- 3. Full view of grain elevator installations at Helle.
- 4. Grain receiving station, Konsum Cooperative Union GmbH, Magdeburg Mill.
- 5. Roller frame hall at the W. A. Drenckmann plant in Magdeburg.
- 6. Plan sifting machines at the W. A. Drenckmann plant in Magdeburg.
- 7. Caption illegible.

300

- 8. Drying kiln and table sifter at the Konsum Cooperative Union GmbH, Magdeburg Mill.
- 9. Steam installation at the Konsum Cooperative Union GmbH, Magdeburg Mill.
- Coccal Products
  10. Cooling installation at the VENAG Halle Coffee Substitute and Explained
  Plant.
- 11. Vertical shellers at the W. Lautenschlaeger plant in Weissenfels.
- 12. Noodle-cutting machine at the VENAG Oschersleben Chocolate Pactory.
- 13. Edible paste presses at the Max Emmerling plant in Zeitz.
- 14. Drying installation at the Max Emmerling plant in Zeitz.
- Cered Products
  15. Full view of the VENAG Halle Coffee Substitute and Readers Plant.
- Certal Products
  16. Grain roasters at the VENAG Halle Coffee Substitute and Bendeture Plant.
- 17. Packing machines at the Konsum Cooperative Union GmbH, Magdeburg Coffee Products Plant.
- 18. Chicory roasters at the VENAG Halle Coffee Substitute and Branch Plant.
- 19. Plant kitchen at the VENAG Halle Coffee Substitute and Bookstaff Plant.
- 20. Three buildings (aerial sketch) of the VENAG Malt Factory in Koennern/ Saale, (Koennern, Niemberg, Niemburg).
- 21. Steeping tubs at the Aktien-Malt Factory in Landsberg.
- 22. Thrashing floor at the Aktion-Malt Factory in Landsberg.

	25X1		

#### POTATOES AND THEIR USE

In 1900 the number of hectares of potatoes planted per 10,000 people in various countries was as follows:

England.	12.4	Corre
USA	13.8	CONFIDENTIAL
Hungary	30.0	25X1
USSR	33.0	
France	40.0	
Austria	40.0	
Germany	44.0	

Despite the growth in population after the turn of the century, there was no appreciable increase in Germany in the cultivated area. A systematic improvement of seed, planned cultivation of productive potato varieties, effective control of potato diseases, and addition of plenty of artificial fertilizer are responsible for the astounding increase in the yield. The potato is now the cheapest staple food item.

The following table compares cultivated area and crop yields since 1946:

Year	Potatoes in Tons	Cultivated Area in Hectares
1946	2,460,491	196,302
1947	1,858,597	183,093
1948	3,128,379	199,213

In 1948, 139,000 tons of potatoes, i.e., 4.4 percent of the potato harvest, went to the potato processing industry. For expanding this industrial branch Land Sachsen-Anhalt has 160 potato distilleries ready for operation, 18 potato flake factories, and 15 potato starch factories. If necessary, in case of need, the Land Sachsen-Anhalt fruit and vegetable processing industry could dehydrate eating potatoes on a large scale.

The following potato processing plants supply essential raw materials for the following industries: paper processing; chemicals; food; beverage; and tobacco; textiles; pharmaceuticals; and forage.

25X1		CONFIDENTLE	L
------	--	-------------	---

CONPEDHNIZAL

## ECONOMIC SITUATION: Potato Starch and Potato Flake Industry

	Fourth	Quarter	1948	25	X1
		Starch Ind	ustry	Flake	Yndustry
Number of Plants					
Paople-owned;		3		(x) <sub>5</sub>	
Private:		б		5	
Cooperative:		8		9	
Number of Employees					
People-owned:		144		36	3
Private:		x) <sub>573</sub>		92	3
Cooperative:		234		126	
Production in Tons					
People-owned:		1,859		20	8
Private:		2,176		88	ાટ
Cooperative:		4,052		68	4
Capacity in Tons					
People-owned:		2,400		1,	800
Private:		3,450		2,	450
Cooperative:		4,800		3,	<b>6</b> 00
Percentage Utilization of Capacity	n.				
People-owned:		77.45		11	• <b>5</b> 5
Private:		63.07		34	•70
Ocoperative:		84.60		50	.27

<sup>(</sup>x) four of which are branches of sugar factories

25X1		Frite Barbook State
		一 计通讯分类 謝 美 巍 第二

POTATO PROCESSING BY THE STARCH INDUSTRY 25X1 1946/47 Working Season 1947/48 Working Season 1948/49 Working Season Monthly Capacity in Tons 16,900 16,900 20,000 Potato Processing Quota in Tons 100,000 48,500 72,000 Percentage Utilisation of Capacity September 3.6 28.9 October 84.3 97.5 100.0 November 111.67 2,58 98.1

December 99.84 67.04 65.8 January 44.73 19.1 29.3 February 37.79 2.4 18.4 March 46.55 11.8 April 69.12 May 8.94

Total Potatoes
Processed in Tons

June

(Second figure shows amount processed by VENAG plants)

September	-	608		5, 687
VENAG				
October	14,247	178		470
		16,471		20,000
VENAG	2,975	3,130		5,005
Novembe r	18,872	14.055		19,611
VENAG	2,755	2,904		5,655
December	16,103	11,329		13,167
VENAG	2,963	1.408		3,527
January	7,520	3,239		5,865
VENAG	1,289	731		1,719
February	6,418	411		3,683
VENAG	678	35		1,076
March	7,867	-	051/4	2,360
VENAG	1,682	_	25X1	781
April	11 / 492	-		702
YENAG	1,163	-		
May	1,512	-		
VENAG	139	-		_
June	-	• ;: ;		_
VENAG	•	• · · · · · · · · · · · · · · · · · · ·		

\* Federation of People: Owned Enterprises for the Food, Beverage, and Tobacco Industries of Land Sachsen-Anhalt.

CONFIDENTIAL

The Potato Starch Industry, the Potato Dehydration Industry, and Derivatives

Production in this industrial branch includes:

- 1. potato starch
- 2. refined starch products and derivatives
  - a.) ecible potato starch German pudding powder
    - b.) potato sago, German "Edel" sago
    - c.) starch syrup, glucose
    - d.) dextrin
    - e.) dextrose, Dextropur
- 3. corncetarch
- 4. wheat starch
- 5. potato flakes
- 6. dextrinized potato flour
- 7. dried esting potatoes

The above products are manufactured

Item 1: in potato starch factories

Items 2. a-e: in potato starch factories with special equipment or in plants manufacturing such derivatives exclusively.

Item 3: in cornestarch factories

Item 4: in wheat starch factories

Item 5: in desire potato flakes factories

Item 6: in petate flake factories with milling equipment and in other plants

Item 7: in plants of the fruit and vegetable processing industry

Excluding plants for dehydration of eating potatoes, the 48 plants

may be divided as follows:

District:	Halle	Magdeburg	Dessau	Total	Ready for operation
Potato starch factories	-	14	1	15	15
Potato starch factories with equipment for manufacturing derivatives	-	2	1	3	3
Plants manu- facturing deri- vatives exclusively		25X1	1	1	1

CONFIDENTIAL

[Table continued on next page]

		C	Onfi	DEN	PIAL
District:	Halle	Magdeburg	Dessau	Total	Ready for Operation
Corn_starch factories	-		2	2	2
Wheat starch factories	1		-	1	1
Potato flake factories	7	9	2	18	16
Potato flake factories with milling equip- ment		<u>.</u>	2	2	2
mills and other installations for memufacturing dex- trinized potato flour	<u>a</u>	5		8	9

The single wheat starch factory is at present working exclusively on a commission basis. Processing of corn could be undertaken at any time.

The potato starch and potato flake factories operate only during the season. Efforts are made to keep the working season down to 100 days in order to prevent unnecessary losses of costly and perishable raw materials.

Potato starch and potato flake factories processed the following amounts of potatoes:

	1946/47	1947/48	1948/49
Potato starch factories	84,000 tons	46,000 tons	72,000 tons
Potatorlake factorles	62,500 tons		35,000 tons

Total: 146,500 tons 46,000 tons 107,000 tons

Because of a shortage of potatoes, the capacity of the potato flake industry was hardly utilized during the last two working seasons.

The demand for dextrinized potato flour, which to suitable for human consumption, is relatively small. However, in 1948, potato starch and its derivatives was increasingly used as a consumer com-

moditie: 25X1 CONFIDENTIAL Approved For Release 2008/03/03 : CIA-RDP83-00415R008900030004-5

CONFIDENTIAL

The most important plants processing potato and corn starch, potato flakes, and derivatives in Land Sachsen-Anhalt are:

Plant	Product	Daily Potato Processing Ca- pacity in Tons
Central German Corn Plant, Zerbst	Fotate starch (Mour)  Adible potate starch	100
German Maizena Plant, Barby (Elbe)	edible potato starch flour, dextrin, dextrose, Dextropur, corn starch	no potato processing
Mieste Starch Factory	potato starch (	30
Potato Processing Co- parative, Gross-Appen- burg	potato starch (	75
MENAG Wolmirstedt Starch Factory	potato starch (####)	<b>7</b> 5
VENAG Genthin Starch Featory	glucose, sago	75
Torgau Potato Flake Factory	poteto flakes	75

The ODR has a total of 30 starch factories. There are no starch factories of any significance in the Western Zones.

THE MANUFACTURE OF POTATO STARCH

Potato starch is a gleaming white substante/RSEN 80 percent day

Solid maffer

and 20 percent moisture.

The potato starch factory pays for potatoes determined according to what starch content. The average starch content of sating potatoes is between 10 and 13 percent, and of factory or utility potatoes, 13 percent and over. The profitableness of any particular enterprise depends essentially upon the same percentage yield and the quality of the profitableness of any particular enterprise depends essentially upon the same percentage yield and the quality of the profitableness of any particular enterprise depends essentially upon the same percentage yield and the quality of the profitableness of any particular enterprise depends as superfined and three grades:

(a) first quality, as superior and c.) third quality as as premium for.

A CONTRACTOR OF THE PARTY OF TH

Tield norms are set for judging the efficiency of working season operations. Performance is judged as follows:

89.5 % from potatoes of 92 % starch content is excellent

87.5 % " # \* 89.5 % starch content is good

84.5 % " " 87.5 % " " is average

80.0 % " " 84.5 % " " 1s poor

The manufacturing process used in potato starch factories involves the following operations:

- 1. cleaning of the potatoes
- 2. grinding of the potatoes
- 3. washing out at the freed starch
- 4. extractions raw starch from the thin starch paste
- 5. drying # the starch
- 6. Sibtering and bagging





THE TWO-YEAR PLAN

Plan for 1949:

Item	Total Amount in 1,000 Tons	Value in 1,000 DM
dry starch	7.5	3 <b>,37</b> 5
starch products	2,5	1,500


25X1

Approved For Release 2008/03/03: CIA-RDP83-00415R008900030004-5

## CONFIDENTIAL

The cells of the potatoes are destroyed by grinding, and the yield depends considerably on how well the grinding is done. Water is added and the mash conveyed to at apparatus. Then the mash is filtered and the thin starch paste separated from the pulp. The over a sedimentation table into a thin starch paste then passes the aghint Flutentafel into a from the pure starch. After this operation, the starch is and after re-washing the remainder of the fluid is removed in a centrifuge. The starch paste, which is now pure, is dried in a drying apparatus.

25X1



Approved For Release 2008/03/03:	CIA-RDP83-00415R0089	900030004-5
	25X1	

## REFINED STARCH PRODUCTS - DERIVATIVES

## 

Derivatives are starch products which, because of different processing, vary from the original product in their qualities.

Only those derivatives which can be manufactured in Land Sachsen-Anhalt are discussed here. The manufacture of derivatives is not necessarily restricted to the actual working season.

## Edible Pota to Starch

Edible potato starch is the product most resembling potato starch. It is a potato starch which has been hydrolyzed by use of acids and under action of heat up to 160° (Centiquade).

The total quarterly capacity of the Central German Corn Plant in Zerbst and the German Maizena Plant in Barby (Elbe) is 1,800 tons of edible potato starch. Whereas the former plant is in a position to manufacture edible potato starch directly from potatoes as well as from potato starch, the Maizena Plant can only process the dry starch.

Edible potato starch is used in the manufacture of pudding powders, baby foods, dry aromatic substances, etc.

#### <u>Sago:</u>

To manufacture sage exist potato starch/is pulverized. Alterd, and then molded and dried in rotary tilt drims. The quarterly sage capacity of the Genthin VENAG Starch Factory is 500 tons. Because of it subsolete equipment, the Wolmirstedt VENAG Starch Pactory has not been incorporated into the production (plan). Sage is used for the preparation ing soups, cold beer or wine soups (Kaltschalen), and dweet incorporated (desserts, etc.)

25	X1	

	$\gamma \in V \setminus I$
Approved For Release 2008/03/03: CIA-RDP83-00415R008900030004-	5 ^'

15K008900050004-5

#### Dextrin:

Dextrin is an adhesive manufactured from starch. It is made by heating starch with small amounts of nitric or hydrochloric acid to a temperature of 120-140°. It is classified, according to color, into three main types, white, straw-yellow, and yellow. These three types of dextrin also differ in solubility and adhesiveness. The textile, paper, printing, shoe, and building industries are among the printipleal users of dextrin.

Dextrin has been manufactured in Land Sachsen-Anhalt since 1 September 1948 by the German Maisena Plant in Barby (Elbe), which has a quarterly capacity of 180 tons. Potato starch in the proportion 1:1.2 is used as the raw material.

## Starch Syrup - Glucose

Starch syrup is prepared by heating an aqueous starch suspension with antical dilute mineral acid until the desired degree of saccharification is reached. The material thus obtained is then neutralized, purified with activated carbon, and inspissated in vacuum apparatus to 43-45 Baumé.

The low sugar content, viscosity, and crystallization-retarding effect of the dextrin-like substances are indisputable advantages of this product.

In Land Sachsen-Anhalt this versatile product is manufactured by the VENAG Starch Factories in Burg and Genthin, which have a quarterly capacity of approximately 1,000 tons. During the working season starch syrup is prepared directly from potatoes and after the season, from potato starch.

	25X1
CC	ONFIDENTIAL

Approved For Release 2008/03/03 : CIA-RDP83-00415R008900030004-5

## THE MANUFACTURE OF POTATO FLAKES AND DEXTRINIZED POTATO FLOUR

Potato flakes, made from rolled potato mash, are wafer-like and have a moisture content of not over 14 percent. To produce them, potatoes are thoroughly washed and then steamed and ground. The resulting potato mash is put through rollers which are heated by high-pressure steam. Band steel knives \_\_strip knives\_\_ remove the dry layer from the rollers. In the conveyer the dry layer is broken up into thin flakes.

Potato flakes are used exclusively for forage purposes. Dextrinized potato flour is suitable for human consumption.

Destrinized potate flour is made by grinding potate flakes from which powder all peelings have been remo ved. It is a fine, yellow-white with the qualities of combining well with water and of rising easily.

Dextrinized potato flour is a popular baking ingredient. The moisture content may not exceed 13 percent.

On the average, the following are obtained from potatoes:

<del>(</del>	31 - *		*21
Schemtaic Description of a Potato Flaking Marki	Installa	ation 25X1	
1. Potato scraper			
2. Potato washer			
3. potato elevator			
4. Potato supply box			
5. Supply conveyer			
6. Potato scale			
7. Potato conveyer			
B. Potato steamer	٠		
9. Roller dryers			
10. Cooling conveyer			
11. Flakes elevator			
12. Sieve drum			
13. Flakes ventilator			
14. Sacking connection			
15Hot steam ventilator			
		25X1	

Approved For Release 2008/03/03: CIA-RDP83-00415R008900030004-5 25X1 25X1 ECONOMIC SITUATION - Distilleries and Teast Factories (Fourth Quarter 1948) Production Employees Industrial Plants Cooperative Private People-Owned (People-Owned Pri-Coopera-People-Owned Pri-Convers-Lard Land (Land vate tive Leve (Level) /, 487 49 17, 246 (hectoliter) 14 435 5 105 Potato Distilleries (1,000 DH) 1,725 59,377 2,613 (hectoliter) 348 53 9 3 Molasses Distillaries (1,000 DM) Distilleries for Cellu-1,396 140 (hectoliter) 1 x lose Haste (1,000 DM) (hectoliter) 10,681 34,969 35 138 ļţ Rectifying Plants (1,000 DM) 1,602 5,286 (tons) 519 415 130 42 180 1 1 Baking Teast Factories (1,000EM) 104 37 93 (tone) 116 178 3 (1,000 DM) Nutrient Yeast Pactories 1445 Percentage Utilization of Capacity Capacity People-Owned Private Cooperative (People-Owned Pri-Cooperative SAG Land Land vate 1,419 34.4 31.2 Potato Distilleries 59.000 9.000 2.596 396 100.5 81.7 Molasses Distilleries 31 Distilleries for Cellulose Waste 270 44.5 58 24,000 60,180 Rectifying Plants 3,600 9,270 74.2 43.3 300 300 700 Baking Teast Plants 560 43.5 **30**0 85 38.7 615 Natrient Yeast Plants 750 1,538 xx = SAG downot report personnel figures x = included under molasses distilleries SAG = Soviet Corporation5

Approved For Release 2008/03/03 : CIA-RDP83-00415R008900030004-5

## PRODUCTION TREND -- Potato Alcohol

			1946			19	1 7			194	8		1949
Quarter Years	ı	11	1940	IA	1	11	111	IA	İ	11	III	Ι¥	1
Capacity in hectoliters	56,970	56,970	56,970	56,970	56,970	56,970	56,970	56,970	56,970	56,970	56,970	56,970	56,970
Percentage Utilization of Capacity	59.82	47.19	1.06	98•00	75.06	18.59		56° jið	<b>9•</b> 39	0.28		31.13	16.65
Production Quotas in hectoliters		<b>*</b>		33,200	60,000			20,000	6,300			11,900	
Production in hecto- liters	34,082	26,883	606	52,412	42,764	10,590		15,095	5,351	157	1	17.733	9,486

25X1

CONFIDENTIAL

25X1 **TV** IJ.N.EGIJ.J.N.CO

Approved For Release 2008/03/03 : CIA-RDP83-00415R008900030004-5

	Ş.				RODUCTION	कठाह्या	Kolasses	and Wood A	lcohol				
		,	1946		PEDUCTION		147			191	48		<b>1</b> 949
	1	11	III	IA	I	11	III	IA	I	II	111	IA	I
Capacity in	<b>86,38</b> 0	86, 380	<b>86,38</b> 0	86,380	8j1° 880	gh,880	gh, 850	84,880	<b>5</b> 14,880	8µ•580	84,280	8 <sup>1</sup> 580	83,230
Percentage Utilization of Capacity	61.71	70.11	83 <b>.07</b>	79•25	<b>86.</b> 25	77.49	63.07	74.6և	69.24	68.67	24.21	79.18	103.95
Production Quota in hectoliters				36,800	45,000	72,000	38,000	66,700	39,500	59 <b>,5</b> 00	17,000	514,800	80 <b>,</b> 000
Production in hectoliters	53.316	60,575	71.757	6 <b>8,</b> 460	73,208	65,547	53,536	63,356	58,772	5 <b>7.</b> 873	50* 708	68,126	86,512
a.) VENAC and					28,051	25,689	<b>13,</b> 534	17,290	22.789	5pt* ptOpt	13,697	60,773	76,523
b.) Konsun							*** ***			100 100	es **		
												25X1	
VENAG = Feder					the Food,	Beverage,	and Toba	.cco Indust	ries in La	nd Sachse	n-Anhalt		\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
*vacs = Peasas			sociation	<b>i</b> Tananan									
	•												17 4 Y

<sup>\*\*</sup>VENAG = Federation of People-Owned Enterprises of the Food, Beverage, and Tobacco Industries in Land Sachsen-Anhalt

\*\*VdgB = Peasants' Mutual Aid Association

\*\*The Konsum = Cooperatives

# - WENTIAL

#### THE ALCOHOL INDUSTRY

Production of this industrial branch includes the namufacture of spirits (ethyl alcohol, spirit, wine, or brandy) and industrial alcohol by formentation of sugar.

The following raw materials are used in the manufacture of crude alcohol:

- 1.) raw materials, such as wine, fruit wine, etc., which already contain spirit of wine.
- raw materials containing sugar, such as sugar cane, sugar-beets, fruit, berries, honey, sugar mamufacturing residues, molasses, etc.
- 3.) rew materials containing starch, such as grain, potatoes, etc., whose starch can be transformed into sugar.
- 4.) raw materials containing cellulose, such as wood.

  These raw materials are processed in:
- 1.) brandy distilleries.
- 2.) fruit and molesses distilleries.
- 3.) grain and potato distilleries.
  - 4.) Laugen und Holzhydrolysat Brennereien / In addition, chemical planet produce synthetic spirits.

Although Hefelueftungs-Brennereien yeast distilleries naturally concentrate on the production of yeast, some alcohol is made at the same time. Rectification plants do the necessary purification refining of the crude alcohol. In the rectifying plants the crude alcohol is separated into:

First type: first-quality alcohol
Second type: second-quality alcohol
Third type: industrial alcohol

Because of the large number of plants and their capacity, the alcohol industry of Land Sachsen-Anhalt has a significance which extends beyond the the

Land	borders. The 238 alcohol Potato distilleries	plants are Halle 96	located as a Magdeburg 69	Collews: Dessau 44	tion Ready for opera- 160	
25X1	Molasses distilleries	5	3	4	10	
	Yeast disitlleries	-	-	2	8	4
	Grain distilleries	1	3		- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	
	ruit distilleries	3	3	-	1	
CY Thermal	Rectification planet	3	2	_	5	
CONFIL	proved For Release 2008/03/03	: CIA-RDP83-	00415R008900	0030004-5	178	

Ca sain		
CONH	LUHIN	411
		JLAI.

The making of brandy by fruit and grain distilleries is forbidden.

The Freyburg Fruit Distillery, which processes marc obtained from wine-making operations of the Unstrutt Valley, is an exception. The following enterprises are permitted to manufacture alcohol: Potato and Molasses Pistilleries, Wood Mydrolysis of the VVB (Z) Sugar Industry, Dessau Sugar Refinery, and the synthetic production installation of the Buna Works.

The operations of potato distilleries are also restricted, since only potatoes unfit for human consumption are used for making alcohol.

The following are the most important alcohol producers in Land

Sachsen-Anhalt:

VVB (Z) Sugar Industry, Dessau Sugar Refinery (Molasses XMAX Distillery and Wood Hydrolysis)		Dessau
VENAG Molasses Processing (Molasses Distillery and Yeast Works)		Schoenebeck
VERAG Baker's Yeast Factory (Yeast distillery)		Dessau
VENAG Molasses Distillery		Koethen
Rudloff & Martz (Molasses Distillery and Yeast Factor	ry)	Bernburg
Strohwalde Potato Distillery	Kreis	Bitterfeld
Kunrau Potato Distillery	#	Salzwedel
Ille rstedt Potato Distillery	#	Bernburg
Isenschnibbe Potato Distillery	Ħ	Gardelegen
Oschersleben Potato Distillery	Ħ	Oschsersleben
Helmsdorf Potato Distillery	я	Mansfelder See
St. Burchard-Stadtgut (municipal farm)	#	Halberstadt
VENAG Molasses Distillery (Molasses Distillery and Rectification Plant)	3	Magdeburg
Alcohol Inspection Utilization Station, Districted	## ##	W1ttenberg
Goette & Zimmermann		Halberstadt
Albert Ernst	1	Halle (Saale)
W. R. Clingestein		Zeitz

25X1

## CONFIDENTIAL

The annual production (regular distilling permit) of all agricultural and industrial distilleries amounted to 286,683.27 hectoliters in the years before the war. This pre-war level of production compared the production of the last few years is evidence of the significant achievements of the alcohol industry since 1945. The decline in production in the business year 1947/48 was caused by the belof-average harvest of 1947.

	Business Year				
	1945/46	1946/47	1947/48		
Number of plants operating after the war	164	182	111		
Hectoliters of Erude alcohol manufactured  Boodustance as present of	304,271	344,098	221,013		
Production as percent of an apparation in duction, impercent	106	120%	77%		

25X1


# MANUFACTURE OF CRUDE ALCOHOL FROM POTATOES CONFLUENTIAL.

Potatoes contain starch which is transformed during processing into maltose and then alcohol.

The first operation consists of steaming the potatoes under 3.5-4 atmospheres pressure. The boiled pulp is mixed with germinated barley or rye, i.e., with green KKK malt. The server "Diastase" in the malt changes the starch to maltose. The sweet mash thus obtained is mixed with yeast, which contains two servers Maltase, which KKKK transforms maltose into alcohol and carbonic acid.

These two reactions constitute the fermenting process. The feremented mash contains 6-8 percent alcohol, water, and other substances. The alcohol is extracted from the mash by distilling apparatus. Potato alcohol production figures as follows:

1945/46 78,320 tons of potatoes, only 2.3 % of the 1945 potato harvest 1946/47 104,925 tons of potatoes, only 3.1 % of the 1946 potato harvest 1947/48 22,054 tons of potatoes, only 1.2 % of the 1947 potato harvest



## CONFIL

THE MANUFACTURE OF CRUDE ALCOHOL FROM MOLASSES

Molasses, a dark-brown syrup 40-50 percent sugar content.

is a by-product of sugar manufacturing. Ingredients in the molasses which do not contain sugar -- mineral salts -- prevent a further crystallization and extraction of sugar.

The manufacturing process for proposing crude alcohol from molasses is a s follows:

A certain amount of molasses is mixed with water and then heated (sterilized). Subsequently, malphoric subjects sulfuric acid for acidification and phosphates and nitrates as Hefenachrstoffe nutrients yeast are added. The mixture is cooled to 30° and more yeast is stirred in. After the yeast has propogated more diluted molasses is added, either gradually or all at once. The ferementation process is completed during this time, the sugar into alcohol and carbonic acid. After the sugar is completely fermented, the mash is put into an alcohol distilling apparatus.

The molasses distilleries, which for the most part are modern plants, use column apparatus \_\_probably vertical distillation columns\_\_ exclusive\_ly for distillation of the mash.

## Comparison of Pre-War and Post-War Alcohol Production

## Molasses Alcohol:

#### Potato Alcohol:

Annual Production	Pre-war		147,707.17	hectoliters		100	\$
	Business year	1945/46	79,146.	hectoliters	-	54	۶,
	Business year	1946/47		hectoliters			
	Business year		20,604.	hectoliters		14	H

25X1

Approved For Release 2008/03/03: CIA-RDP83-00415R008900030004-5

EXIMITININAL

MANUFACTURE OF CHUIDE ALCOHOL FROM WOOD (CILLULOSE)

/manufacturing/ The alcohol/installation of the Dessau Sugar Refinery, a plant of the VVB (2) Sugar Industry, employs the Scholler-Torne method. Wood waste from the wood processing industry is used as the raw material for The wood waste contains 40-60 percent cellulose. producing the alcohol. By treating the wood waste with dilute sulfuric acid and by heating under pressure, sugar is obtained from the cellulose. The acid treatment and heating under pressure takes place in large steel vessels, so-called percolators. After the boiling process is over, the sugar mixture, containing sulfuric acid, is cooled, nestralized with lime, and, when being yeast nutrients, mixed with yeast and is poured into fermenting vats. After the fermentation process is finished, the mash contains alcohol, which is extracted in distilling apparatus. Since the wort contains very little alcohol, very large and efficient column apparatuses must be used for the distillation process.

After war damage had been repaired, production of wood alcohol was undertaken again on 1 January 17 1948 at Dessau. Production in 1948 amounted to 7.932 hecteliters crude alcohol from wood shavings.

Carbonic acid and vinasse are by-products of the alcohol industry.

The vinasse from potato processing is sued as forage. The vinasse from molasses distilleries, because of its high mineral such content, is not suitable for forage purposes. It is yeasted [7] in the Schoenebeck VENAG Molasses Processing Plant and is also used as the basic material for producing potash and fertilizers. Ligning, which is a by-product of wood decohol manufacture, is suitable for fuel and also as a basic material for coal kindling substances.

	25X1										
,	غد ه	2 (3)	**	4 5	g fat	. <del>.</del> .	ŧ.	-	2.	¥,	S

25X1

In the rectification process by-products of fermentation are separated from the crude alcohol. Rectification takes place in either a periodic or a continuous procedure. First-quality, second-quality, and industrial alcohol are produced. Rectification plants delivered the following percentages of total production to alcohol manufacturers:

1945/46	24.8 percent rectified alcohol
1945/46 1946/47 1947/48	35.5 percent rectified alcohol
1947/48	36.2 percent rectified alcohol

Excluding shipments outside the GDR, rectified alcohol was used as follows:

	1946/47 (hectol <b>b</b> t	ers) (%)	1947/48 (hectolit	ærs) (%)		
******	3,986	3.8	1,684	2.0	for	lacquer and paints
	1,707	1.6	422	0.5	Ħ	cosmetics
	5,123	4.9	4,229	5.1	#	chemical industry
	433	0.4	382	0.4	#	laboratories
	3,183	3.0	2,747	3.3	Ħ	pest control
	15,475	14.8	19,561	23.4	Ħ	photochemistry
	18,658	17.8	21,110	25.3	Ħ	synthetics
	1,632	1.6	2,146	2.5	14	acids
	838	0.8	640	0.7	Ħ	perfume and essential oils
			50	0.1	Ħ	CTRIVS
	5,376	5.1	2,704	3.1	Ħ	public health
	439	0.4	381	0.4	Ħ	light industry
	41	0.1	64	0.1	Ħ	machine building and
	•	· · ·				electrical industry
	135	0.1	230	0.2	#	mining and metallurgy
	162	0.3	100	0.1	Ħ	gas works
	153	0.1	178	0.2	#	washing agents
0.00	57,341	54.7	56,628	67.4		
	47,500	45.3	27,200	32.6	for	spirits
	104,841	100.0	83,828	100.0		

## THE TWO\_YEAR PLAN

Plan for 1949:

	heataliters	
I tem	Amount in 1,000 tons	Value in 1,000 DM
crude alcohol	320	20,800
rectified alcohol	170	25,500

# CONFIDENTIAL

## BAKER'S YEAST INDUSTRY

The preparation of baker's yeast is similar to that of alcohol from molasses. By Interference strong aeration of the fermentation menting process a greater yeast propogation is achieved. The sour mash goes into separators which separate the yeast "cream" from the wort. The yeast cream is pressed out, molded, and weighed.

Two yeast distilleries produce baker's yeast in Land Sachsen-An-halt — the VENAG Baker's Yeast Factory in Dessau and the Rudloff & Martz Yeast Factory in Bernburg. Because of war damage, the former plant could not reach its 1945 annual production level of 4,000 tons. The latter, But of & Martz, expanded its plant sufficiently in 1945 to increase iss yeast production. Temporarily, baker's yeast is also being produced by thr Dessau Sugar Refinery, a plant of the VVB (2) Sugar Industry.

CONFIDENTIAL

Approved For Release 2008/03/03 : CIA-RDP83-00415R008900030004-5

Approved For Release 2008/03/03 : CIA-RDP83-00415R008900030004-5

# CONFIDENTIAL

#### YEAST FOODS INDUSTRY

A yeast of high protein content is the principal aim in producing yeast foods. This industrial is responsible for beauty, the existing are in protein and therefore has a particularly important function in the economy today. Molasses, molasses vinasse, and sulfite waste liquor are raw materials used in producing yeast foods. Plants utilizing these various raw materials are listed below:

## a.) Molasses

VENIG Baker's Yeast Factory, Dessau Hydloff & Martz Yeast Factory, Bernburg Dessau Sugar Refinery, VVB(2) Sugar Undustry Wolfen Paint Factory Leuna Chemical Works

- b.) Molasses vinasse
  - Schoenebeck VENAG Molasses Utilization Plant
- c.) Sulfite waste liquor
  Wolfen Film Factory

These plants supply the entire GDR with yeast foods.

	25X1	
(20)	VEIDENT	AŤ

Αp	proved For Release 2008/03/03 : CIA-RDP83-00415R008900030004-5
	PICTURES
1.	Medium-sized sural plant, Calvoerde Starch Factory (Court left)
2.	Full-view of modern large plant, German Maizena Works at Barby (Elbe).
3.	· · · · · · · · · · · · · · · · · · ·
4.	Equipment for washing out starch at the Central German Corn Plant at Zerbst. (top)
5.	Starch vats at the Calvoorde Starch Factory. ( bottom )
6.	Installation for preparing edible potato starch flour at the German Maizena Works at Barby (Elbe).
7.	Dextrin reaster at the German Meizena Works at Barby (Elbe).
8,	Potato roller-drier at the Anhalt Potato Flake Factory in Zerbst.
9. 10.	View of the molasses distillery and wood hydrolysis plant of the Dessau Sugar Refinery, a plant of the VVB (Z) Sugar Industry.  Lumber yard, sheds for wood shavings, and molasses tanks at the Dessau Sugar Refinery, a plant of the VVB (Z) Sugar Industry.
11.	Modern potato distillery with column distallation apparatus at the Graefenhainichen Potato Distillery. (Gff.)
12.	Partial view of old potato distillery showing/Kindekxxxxxx apparatus  XX at the Klein-Woelkau Potato Distillery. (right)
INY	$\theta$
The a p	following captions, 13-21, are from pictures of the Dessau Suggr Refinery,
13.	Four views of bomb demage at on 7 March 1945.
14.	View of distillation equipment.
15.	Fermentation station.
16.	Wood shavings being fed into percolators. (left)

- 17. Lower part of percolators showing discharge trap. (right)
- 18. Upper part (head) of percolator. ( upper lifet)
  19. Let-down vessels. ( former right)
- 20. Fermentation station for yeast making.

21.	Separator	station.		25X1	
			25X1		
				" * A * ( ) * A	MNTA

25X1	•
1	